




Unique Canada Green Power



KMI Bag Filler

Double hopper rice filling machine with conveyor and sewing line

- Double hopper weighing system
- Ability to track and control the number of bags filled
- 7 inch Touch Screen (HMI)
- Low operation cost
- Intelligent input control with regulator
- USB port for data extraction and system updates
- Use of stainless steel 304 in the manufacture of parts in contact with food



Operation

- Conveyor speed control with inverter
- Compact and user-friendly design
- Programmable control
- Color touch screen
- Fault indication on display
- automatic sewing machine
- Pneumatically operated
- Ability to adjust the height of Belt Conveyor with an electric motor
- A user friendly logic control for preventing incorrect input
- Quick and easy installation

Specification

A flexible programmable controller monitors, control and optimizes all machine functions and production parameters.

production data are preinstalled in the programmed memory. for production start, these are selected by a simple push of a button. Parameters such as performance, format size, dosing quantity , production speed can be supervised and regulated by a touch panel.




Sewing Line

- Complete sealing of the lubrication system
- Semi-automatic yarn cutting machine
- Anti-corrosion parts
- Low noise
- Sewing machine weight: 30 KG
- Sewing type: double line



Technical specifications of the conveyor

- Max speed: 16 meters/min
- Weight: 150KG
- Voltage: AC 380V, 50 Hz, 3 Phase
- Min. print speed: 40 mm/sec
- Length of Belt Conveyor : 2.5 - 3 m
- Belt Material: PVC
- Maximum height: 80 cm



General System Specification

- Operating temperature 0~50C
- Working humidity up to %90
- Air Pressure: 6 bar




Control System Specification

- Ability to set time and date
- Two communication ports and an Ethernet port for standard connection to a computer or printer
- Ability to define and store 40 Various instructions in the controller
- Manual digital calibration with re-weighing function



Technical Data Overview



	KMI BF2020	KMI BF 2019
Product	Granule products	Granule Products
Filling weight/ bag	25000~50000 g	25000~50000 g
Bag shape	Pillow bag	Pillow bag
Performance	1000 bags/hour	500 bags/hour
Machine color	upon request	upon request
Power supply	400/230V, 3ph,50/ 60HZ	400/230V, 3ph,50/ 60HZ
Protection system,	IP66	IP66
weight	960KG	430KG



Unique Canada Green Power

**Address(Office): 185 Roehampton Ave,
M4P 0C6 Toronto, ON, Canada
Tel: +1 (416) 520-4848
WWW.UCGP.CA**
